

SAN FRANCISCO BAY CONSERVATION AND DEVELOPMENT COMMISSION

50 California Street • Suite 2600 • San Francisco, California 94111 • (415) 352-3600 • Fax: (415) 352-3606 • www.bcdc.ca.gov

April 19, 2013

TO: Commissioners and Alternates

FROM: Lawrence J. Goldzband (415/352-3653, lgoldzband@bcdc.ca.gov)
Bob Batha, Chief of Permits (415/352-3612, bobb@bcdc.ca.gov)

SUBJECT: **Listing of Pending Administrative Matters**
(For Commission consideration on May 2, 2013)

This report lists the administrative permit applications, federal consistency actions, marsh development permits in the Secondary Management Area of the Suisun Marsh, regionwide permit actions, minor amendments to the Suisun Marsh Local Protection Program, and emergency permits that are pending with the Commission. The staff members to whom the matters have been assigned are indicated at the end of the projects' description. Inquiries should be directed to the assigned staff member prior to the Commission meeting.

Administrative Permits and Federal Consistency Actions

The following administrative permit applications have been filed and are presently pending with the Commission. The Executive Director will take the action indicated on the matters unless the Commission determines that it is necessary to hold a public hearing.

Applicant: South Bayside System Authority
1400 Radio Road
Redwood City, CA 94065

BCDC Permit Application No. M2012.018.00

Filed: 04/17/13
90th Day: 07/17/13

Location: In the Bay and within the 100-foot shoreline band, partially within a wildlife refuge priority use area, at Inner Bair Island and the immediate surrounding area, in the City of Redwood City, San Mateo County.

Description: Replace an existing sewer pipeline by doing the following:

In the Bay

1. Install by microtunneling below the bay bottom, use and maintain in-kind: (a) an approximately 330-foot-long section of 48-inch-in-diameter high-density polyethylene sewer force main, (b) an approximately 330-foot-long section of 3-inch-in-diameter fiber optic conduit, and (c) an approximately 330-foot-long section of approximately 72-inch-in-diameter welded steel pipe to encase the sewer force main and fiber optic conduit, altogether comprising approximately 346 cubic yards of solid fill covering approximately 1,980 square feet at a depth 30 to 50 feet below the surface of the Bay at an un-named drainage tributary to Smith Slough and east of Inner Bair Island. Remove any displaced material to an authorized upland location outside the Commission's jurisdiction.



Making San Francisco Bay Better

Within the 100-foot shoreline band

2. Excavate an approximately 30- to 50-foot deep pit adjacent to the channel within a temporary, approximately 400-square-foot, fenced construction area to allow for the gradual transition between the below- and above-grade segments of the pipeline on Inner Bair Island and restore the construction area to pre-project conditions upon project completion;
3. Install by microtunneling, use, and maintain in-kind: (a) an approximately 130-foot-long section of a 48-inch-in-diameter high density polyethylene sewer force main, (b) an approximately 130-foot-long section of 3-inch-in-diameter fiber optic conduit, and (c) an approximately 130-foot-long section of 72-inch-in-diameter welded steel pipe to encase the sewer force main and fiber optic conduit, covering approximately 780 square feet near the east end of Inner Bair Island; and
4. Provide and install one 2-panel kiosk on Inner Bair Island and two benches along the Inner Bair Island public access trail.

The project involves the placement of approximately 346 cubic yards of material covering approximately 1,980 square feet of area below the bottom of the Bay and public access amenities on Inner Bair Island.

Tentative Staff Position: Recommend Approval. (Ellie Knecht, 415-352-3668 or elliek@bcdca.gov)

Permits in the Secondary Management Area of the Suisun Marsh

Solano County has not issued any marsh development permits since the last listing.

Minor Amendments to Suisun Marsh Local Protection Program

The Commission has not received any amendments to the Suisun Marsh Local Protection Program for certification since the last listing.

Regionwide Permits

The Executive Director has not issued any regionwide permits since the last listing.

Emergency Permits

The Executive Director has not issued any emergency permits since the last listing.